

| Applicant | Sex | DOB | SSN | Zip | Company | Acct | Quoteback/Policy # | Requestor |
|-----------|-----|-----|-----|-----|---------|------|--------------------|-----------|
| | M | | | | IBU INC | | | |

Results

| Request ID |
|--------------------|
| xxxxxxxxxxxx |
| Claims-Eligibility |

Eligibility Details

| From | To |
|------------|------------|
| 2020-01-01 | 2039-12-31 |
| 2018-08-01 | 2019-12-31 |
| 2009-04-01 | 2017-05-31 |
| 2004-10-01 | 2017-11-30 |

Potential Conditions

| Condition | % |
|----------------|-----|
| Hyperlipidemia | 12% |
| CAD | 7% |

Risk/Probability

| Category | |
|-------------------------------|------|
| Demog Risk Score | 1.88 |
| PRG Risk Score | 3.49 |
| Demog Prob to Exceed \$5K/YR | 32% |
| Probability to Exceed \$5K/YR | 55% |

Specialty Summary

| Prescriber | Doctor Specialty | Score |
|------------|----------------------|-------|
| Dr A | Gastroenterology | 5 |
| Dr B | Hepatology | 5 |
| Dr C | Surgery - General | 0 |
| Dr D | Orthopedics | 0 |
| Dr E | Surgery - Orthopedic | 0 |


Drug Summary

| Rx Cnt | Drug Label | HIC Therapeutic Class | HIC Code | Last Filled | Score |
|--------|--------------------------------|--|----------|-------------|-------|
| 2 | TRAMADOL HCL 50 MG TABLET | OPIOID ANALGESICS | H3A | 2020-12-30 | 5 |
| 5 | HYDROCODONE-ACETAMIN 7.5-325 | OPIOID ANALGESIC AND NON-SALICYLATE ANALGESICS | H3U | 2020-12-30 | 5 |
| 5 | ALBUTEROL HFA 90 MCG INHALER | BETA-ADRENERGIC AGENTS, INHALED, SHORT ACTING | B6W | 2020-12-23 | 5 |
| 3 | TRAMADOL HCL 50 MG TABLET | OPIOID ANALGESICS | H3A | 2020-12-09 | 5 |
| 3 | PANTOPRAZOLE SOD DR 40 MG TAB | PROTON-PUMP INHIBITORS | D4J | 2020-12-07 | 5 |
| 1 | ENOXAPARIN 40 MG/0.4 ML SYR | HEPARIN AND RELATED PREPARATIONS | M9K | 2020-11-18 | 10 |
| 1 | METHOCARBAMOL 500 MG TABLET | SKELETAL MUSCLE RELAXANTS | H6H | 2020-11-18 | 5 |
| 1 | MELOXICAM 15 MG TABLET | NSAIDS, CYCLOOXYGENASE INHIBITOR - TYPE ANALGESICS | S2B | 2020-11-18 | 5 |
| 1 | NARCAN 4 MG NASAL SPRAY | OPIOID ANTAGONISTS | H3T | 2020-11-18 | 10 |
| 4 | CHANTIX 1 MG CONT MONTH BOX | SMOKING DETERRENT-NICOTINIC RECEPT.PARTIAL AGONIST | J3C | 2020-08-17 | 10 |
| 10 | PANTOPRAZOLE SOD DR 40 MG TAB | PROTON-PUMP INHIBITORS | D4J | 2020-03-21 | 5 |
| 1 | SULFAMETHOXAZOLE-TMP DS TABLET | ABSORBABLE SULFONAMIDE ANTIBACTERIAL AGENTS | W2A | 2020-02-01 | 0 |
| 1 | CHANTIX 1 MG TABLET | SMOKING DETERRENT-NICOTINIC RECEPT.PARTIAL AGONIST | J3C | 2020-01-16 | 10 |
| 2 | PROTONIX DR 40 MG TABLET | PROTON-PUMP INHIBITORS | D4J | 2019-12-23 | 5 |
| 1 | ORTHOVISC 15 MG/ML SYRINGE | ANTI-INFLAMMATORY/ANTIARTHRITICS AGENTS, MISC. | S2H | 2019-12-17 | 0 |

| | | | | | | |
|-------------------------|--------------------------------|--|-----------------------------------|------------|----|---|
| 14 | VENTOLIN HFA 90 MCG INHALER | BETA-ADRENERGIC AGENTS, INHALED, SHORT ACTING | B6W | 2019-10-29 | 5 | ▲ |
| 1 | PLENVU POWDER PACKETS | LAXATIVES AND CATHARTICS | D6S | 2019-10-02 | 0 | ● |
| 3 | PROAIR HFA 90 MCG INHALER | BETA-ADRENERGIC AGENTS, INHALED, SHORT ACTING | B6W | 2019-09-24 | 5 | ▲ |
| 2 | CHANTIX STARTING MONTH BOX | SMOKING DETERRENT-NICOTINIC RECEPT.PARTIAL AGONIST | J3C | 2019-09-20 | 10 | ◆ |
| 1 | HYDROCODONE-ACETAMIN 7.5-325 | OPIOID ANALGESIC AND NON-SALICYLATE ANALGESICS | H3U | 2019-05-21 | 5 | ▲ |
| 1 | BENZONATATE 100 MG CAPSULE | ANTITUSSIVES, NON-OPIOID | H6C | 2019-01-26 | 0 | ● |
| 2 | OXYCODONE-ACETAMINOPHEN 5-325 | OPIOID ANALGESIC AND NON-SALICYLATE ANALGESICS | H3U | 2018-11-02 | 5 | ▲ |
| 1 | PEG-3350 AND ELECTROLYTES SOLN | LAXATIVES AND CATHARTICS | D6S | 2018-10-24 | 0 | ● |
| 1 | NEOMYCIN 500 MG TABLET | AMINOGLYCOSIDE ANTIBIOTICS | W1F | 2018-10-24 | 5 | ▲ |
| 1 | ERYTHROMYCIN 500 MG FILMTAB | MACROLIDE ANTIBIOTICS | W1D | 2018-10-24 | 5 | ▲ |
| 1 | PANTOPRAZOLE SOD DR 40 MG TAB | PROTON-PUMP INHIBITORS | D4J | 2017-04-14 | 5 | ▲ |
| 1 | VIGAMOX 0.5% EYE DROPS | OPHTHALMIC ANTIBIOTICS | Q6W | 2017-03-27 | 0 | ● |
| 6 | PANTOPRAZOLE SOD DR 40 MG TAB | PROTON-PUMP INHIBITORS | D4J | 2016-10-17 | 5 | ▲ |
| 1 | DOXYCYCLINE HYCLATE 100 MG TAB | TETRACYCLINE ANTIBIOTICS | W1C | 2016-03-08 | 0 | ● |
| 1 | PROMETHAZINE-CODEINE SYRUP | OPIOID ANTITUSSIVE-1ST GENERATION ANTIHISTAMINE | B4D | 2016-03-08 | 5 | ▲ |
| 1 | METHYLPREDNISOLONE 4 MG DOSEPK | GLUCOCORTICOIDS | P5A | 2016-03-08 | 5 | ▲ |
| 1 | NAPROXEN 500 MG TABLET | NSAIDS, CYCLOOXYGENASE INHIBITOR - TYPE ANALGESICS | S2B | 2015-11-11 | 5 | ▲ |
| 6 | PANTOPRAZOLE SOD DR 40 MG TAB | PROTON-PUMP INHIBITORS | D4J | 2015-04-01 | 5 | ▲ |
| Total Rx Cnt: 86 | | | Score High/Total: 10 / 155 | | | |

Opioid Daily MME (24 months)

— Daily MME



Opioid Daily MME

| Date Range | Total Daily MME | Drug Label | NDC | Route | Daily MME |
|-----------------------|-----------------|------------------------------|-------------|-------|-----------|
| 12/31/2020 - 1/6/2021 | 98 | HYDROCODONE-ACETAMIN 7.5-325 | 00406012401 | ORAL | 60 |

| | | | | | |
|-------------------------|-----|------------------------------|-------------|------|----|
| 12/31/2020 - 1/6/2021 | 98 | TRAMADOL HCL 50 MG TABLET | 57664037708 | ORAL | 38 |
| 12/22/2020 - 12/22/2020 | 56 | TRAMADOL HCL 50 MG TABLET | 57664037708 | ORAL | 56 |
| 12/18/2020 - 12/21/2020 | 131 | HYDROCODONE-ACETAMIN 7.5-325 | 00406012401 | ORAL | 75 |
| | | TRAMADOL HCL 50 MG TABLET | 57664037708 | ORAL | 56 |
| 12/14/2020 - 12/14/2020 | 56 | TRAMADOL HCL 50 MG TABLET | 65162062710 | ORAL | 56 |
| 12/10/2020 - 12/13/2020 | 131 | HYDROCODONE-ACETAMIN 7.5-325 | 00406012401 | ORAL | 75 |
| | | TRAMADOL HCL 50 MG TABLET | 65162062710 | ORAL | 56 |
| 12/5/2020 - 12/5/2020 | 56 | TRAMADOL HCL 50 MG TABLET | 65162062710 | ORAL | 56 |
| 12/1/2020 - 12/4/2020 | 131 | HYDROCODONE-ACETAMIN 7.5-325 | 00406012401 | ORAL | 75 |
| | | TRAMADOL HCL 50 MG TABLET | 65162062710 | ORAL | 56 |
| 11/23/2020 - 11/23/2020 | 56 | TRAMADOL HCL 50 MG TABLET | 65162062710 | ORAL | 56 |
| 11/19/2020 - 11/22/2020 | 131 | HYDROCODONE-ACETAMIN 7.5-325 | 00406012401 | ORAL | 75 |
| | | TRAMADOL HCL 50 MG TABLET | 65162062710 | ORAL | 56 |
| 5/22/2019 - 5/25/2019 | 38 | HYDROCODONE-ACETAMIN 7.5-325 | 27808003602 | ORAL | 38 |

Prescription Detail

| Drug Label | Rx Number | Qty | Days | Filled | RF # | Total RF | Prescriber | Pharmacy |
|---------------------------------------|-----------------------------------|-----|------|------------|------|----------|------------|-----------------|
| ALBUTEROL HFA 90 MCG INHALER | XXXXXX | 18 | 17 | 2020-12-23 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2020-12-09 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2020-10-27 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2020-03-21 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 16 | 2020-01-16 | 1 | 0 | Dr A | Costco Pharmacy |
| BENZONATATE 100 MG CAPSULE | XXXXXX | 30 | 10 | 2019-01-26 | 0 | 0 | Dr A | Costco Pharmacy |
| CHANTIX 1 MG CONT MONTH BOX | XXXXXX | 56 | 28 | 2020-08-17 | 2 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 56 | 28 | 2020-07-24 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 56 | 28 | 2020-03-14 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 56 | 28 | 2019-02-15 | 0 | 0 | Dr A | Costco Pharmacy |
| CHANTIX 1 MG TABLET | XXXXXX | 56 | 28 | 2020-01-16 | 1 | 0 | Dr A | Costco Pharmacy |
| CHANTIX STARTING MONTH BOX | XXXXXX | 53 | 53 | 2019-09-20 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 53 | 53 | 2018-10-24 | 0 | 0 | Dr A | Costco Pharmacy |
| DOXYCYCLINE HYCLATE 100 MG TAB | XXXXXX | 20 | 10 | 2016-03-08 | 0 | 0 | Dr A | Costco Pharmacy |
| ENOXAPARIN 40 MG/0.4 ML SYR | XXXXXX | 11 | 28 | 2020-11-18 | 0 | 0 | Dr B | Costco Pharmacy |
| ERYTHROMYCIN 500 MG FILMTAB | XXXXXX | 6 | 3 | 2018-10-24 | 0 | 0 | Dr D | Costco Pharmacy |
| | Drug-To-Drug Interactions: | | | 1 | | | | |
| HYDROCODONE-ACETAMIN 7.5-325 | XXXXXX | 40 | 5 | 2020-12-30 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 30 | 3 | 2020-12-17 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 30 | 3 | 2020-12-09 | 0 | 0 | Dr B | Costco Pharmacy |

| Drug Label | Rx Number | Qty | Days | Filled | RF # | Total RF | Prescriber | Pharmacy |
|---------------------------------------|-----------------------------------|-----|------|------------|------|----------|------------|------------------------------|
| HYDROCODON E-ACETAMIN 7.5-325 | XXXXXX | 30 | 3 | 2020-11-30 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 30 | 3 | 2020-11-18 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 15 | 3 | 2019-05-21 | 0 | 0 | Dr D | Walgreens |
| | Drug-To-Drug Interactions: | | | 1,1 | | | | |
| MELOXICAM 15 MG TABLET | XXXXXX | 15 | 15 | 2020-11-18 | 0 | 0 | Dr B | Costco Pharmacy |
| METHOCARBA MOL 500 MG TABLET | XXXXXX | 30 | 4 | 2020-11-18 | 0 | 0 | Dr B | Costco Pharmacy |
| METHYLPRED NISOLONE 4 MG DOSEPK | XXXXXX | 21 | 6 | 2016-03-08 | 0 | 0 | Dr A | Costco Pharmacy |
| NAPROXEN 500 MG TABLET | XXXXXX | 30 | 15 | 2015-11-11 | 0 | 0 | Dr A | Costco Pharmacy |
| NARCAN 4 MG NASAL SPRAY | XXXXXX | 2 | 15 | 2020-11-18 | 0 | 0 | Dr B | Costco Pharmacy |
| NEOMYCIN 500 MG TABLET | XXXXXX | 6 | 1 | 2018-10-24 | 0 | 0 | Dr D | Costco Pharmacy |
| ORTHOVISC 15 MG/ML SYRINGE | XXXXXX | 12 | 21 | 2019-12-17 | 0 | 0 | Dr E | Aetna Specialty Pharmacy Llc |
| OXYCODONE- ACETAMINOPH EN 5-325 | XXXXXX | 15 | 3 | 2018-11-02 | 0 | 0 | Dr D | Costco Pharmacy |
| | XXXXXX | 15 | 2 | 2018-10-29 | 0 | 0 | Dr D | Costco Pharmacy |
| | Drug-To-Drug Interactions: | | | 1 | | | | |
| PANTOPRAZO LE SOD DR 40 MG TAB | XXXXXX | 90 | 90 | 2020-12-07 | 3 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2020-09-12 | 2 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2020-06-17 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2020-03-21 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 30 | 30 | 2019-08-24 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 30 | 30 | 2019-07-24 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 30 | 30 | 2019-06-24 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 30 | 30 | 2019-05-25 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 30 | 30 | 2019-04-24 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2019-01-21 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2018-10-31 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2018-08-01 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2017-04-14 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2017-01-20 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2016-10-17 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 30 | 30 | 2016-09-16 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2016-06-11 | 2 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2016-03-21 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2015-10-01 | 0 | 0 | Dr A | Costco Pharmacy |

| Drug Label | Rx Number | Qty | Days | Filled | RF # | Total RF | Prescriber | Pharmacy |
|---------------------------------|----------------------------|------|------------|------------|------|----------|-----------------|-----------------|
| PANTOPRAZOLE SOD DR 40 MG TAB | XXXXXX | 90 | 90 | 2015-06-20 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2015-04-01 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2015-01-07 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2014-10-03 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2014-06-24 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2014-04-01 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2014-01-08 | 0 | 0 | Dr A | Costco Pharmacy |
| PEG-3350 AND ELECTROLYTE S SOLN | XXXXXX | 4000 | 1 | 2018-10-24 | 0 | 0 | Dr D | Costco Pharmacy |
| PLENVU POWDER PACKETS | XXXXXX | 3 | 1 | 2019-10-02 | 0 | 0 | Dr F | Costco Pharmacy |
| PROAIR HFA 90 MCG INHALER | XXXXXX | 9 | 16 | 2019-09-24 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 9 | 16 | 2015-12-21 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 9 | 16 | 2015-11-11 | 0 | 0 | Dr A | Costco Pharmacy |
| PROMETHAZINE-CODEINE SYRUP | XXXXXX | 200 | 10 | 2016-03-08 | 0 | 0 | Dr A | Costco Pharmacy |
| | Drug-To-Drug Interactions: | | | 2,2 | | | | |
| PROTONIX DR 40 MG TABLET | XXXXXX | 90 | 90 | 2019-12-23 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 90 | 90 | 2019-09-24 | 0 | 0 | Dr A | Costco Pharmacy |
| SULFAMETHOXAZOLE-TMP DS TABLET | XXXXXX | 14 | 7 | 2020-02-01 | 0 | 0 | Dr C | Costco Pharmacy |
| TRAMADOL HCL 50 MG TABLET | XXXXXX | 45 | 6 | 2020-12-30 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 45 | 4 | 2020-12-17 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 45 | 4 | 2020-12-09 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 45 | 4 | 2020-11-30 | 0 | 0 | Dr B | Costco Pharmacy |
| | XXXXXX | 45 | 4 | 2020-11-18 | 0 | 0 | Dr B | Costco Pharmacy |
| VENTOLIN HFA 90 MCG INHALER | XXXXXX | 18 | 16 | 2019-10-29 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2019-07-23 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2019-01-28 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 20 | 2016-06-28 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2016-04-23 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2015-10-01 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2015-08-08 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2015-06-20 | 1 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2015-05-06 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2015-01-07 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2014-10-03 | 0 | 0 | Dr A | Costco Pharmacy |
| | XXXXXX | 18 | 17 | 2014-06-23 | 0 | 0 | Dr A | Costco Pharmacy |
| XXXXXX | 18 | 17 | 2014-04-11 | 2 | 0 | Dr A | Costco Pharmacy | |

| Drug Label | Rx Number | Qty | Days | Filled | RF # | Total RF | Prescriber | Pharmacy |
|-----------------------------|-----------|-----|------|------------|------|----------|------------|-----------------|
| VENTOLIN HFA 90 MCG INHALER | XXXXXX | 18 | 17 | 2014-01-30 | 1 | 0 | Dr A | Costco Pharmacy |
| VIGAMOX 0.5% EYE DROPS | XXXXXX | 3 | 4 | 2017-03-27 | 0 | 0 | Dr G | Costco Pharmacy |

Prescriber Detail

| Prescriber | ID | Address | City | ST | Zip | Phone |
|----------------------|----------------------|--------------------|---------------------------|----|-------|--------------|
| Dr D | AA6506476 | 1 Mercy Ln Ste 502 | Hot Springs National Park | AR | 71913 | 501-555-1212 |
| | Specialty | | | | | Score |
| | Family Practice | | | | | 0 |
| Surgery - General | | | | | 0 | |
| Dr B | AA6506555 | 1 Apple Lane | Hot Springs National Park | AR | 71913 | 501-555-1213 |
| | Specialty | | | | | Score |
| | Physician Assistant | | | | | 0 |
| Dr F | AA6504568 | 25 Greenwoods Road | Hot Springs National Park | AR | 71913 | 501-555-1214 |
| | Specialty | | | | | Score |
| | Optometry | | | | | 0 |
| Vision Care | | | | | 0 | |
| Dr C | AA6506658 | 1 Point Place | Hot Springs National Park | AR | 71913 | 501-555-1215 |
| | Specialty | | | | | Score |
| | Nurse - Practitioner | | | | | 0 |
| Dr A | AA6506578 | 45 Ripon Street | Hot Springs National Park | AR | 71913 | 501-555-1216 |
| | Specialty | | | | | Score |
| | Family Practice | | | | | 0 |
| Dr E | AA650555 | 76 Tedeschi Way | Hot Springs National Park | AR | 71913 | 501-555-1217 |
| | Specialty | | | | | Score |
| | Family Practice | | | | | 0 |
| | Sports Medicine | | | | | 0 |
| | General Practice | | | | | 0 |
| | Orthopedics | | | | | 0 |
| Surgery - Orthopedic | | | | | 0 | |
| Dr G | AA6506476 | 47 Rippleback Road | Hot Springs National Park | AR | 71913 | (501) 321 |
| | | | | | | |

| Specialty | Score |
|------------------------------|-------|
| Gastroenterology | 5 |
| Hepatology | 5 |
| Internal Medicine | 0 |
| Internal Medicine Specialist | 0 |

Pharmacy Detail

| Pharmacy | ID | Address | City | ST | Zip | Phone |
|------------------------------|----|---------|------|----|-----|-------|
| Aetna Specialty Pharmacy Llc | | | | | | |
| Costco Pharmacy | | | | | | |
| Costco Pharmacy | | | | | | |
| Walgreens | | | | | | |

Drug Detail

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|--|-------------|---------------------------------|----------|--|--|
| ALBUTEROL HFA 90 MCG INHALER | 66993001968 | HFA AEROSOL WITH ADAPTER (GRAM) | 90 MCG | INHALATION | BETA-ADRENERGIC AGENTS, INHALED, SHORT ACTING |
| Drug Add Date: | | 01/15/2019 | | | |
| Generic Name: | | albuterol sulfate | | Suggested Wholesale Price: \$3.46888 | |
| Disease Descriptions: acute asthma attack, bronchospasm prevention, bronchospastic pulmonary disease, chronic obstructive pulmonary disease, exercise-induced bronchospasm prevention | | | | | |
| Side Effects: abnormal ECG, anaphylaxis, angina, angioedema, ataxia, back pain, bronchial irritation, chest pain, chills, cough, cramps in legs, depression, diabetes mellitus, dizziness, drowsy, dry throat, dysgeusia, edema, eructation, fever, flatulence, headache disorder, hyperglycemia, hyperhidrosis, hyperkinesis, hypertension, hypokalemia, hypotension, insomnia, metabolic acidosis, migraine, mouth irritation, myocardial ischemia, nausea, nervousness, pain, pain in oropharynx, palpitations, paradoxical bronchospasm, pharyngeal edema, pharyngitis, rhinitis, skin rash, sore throat, symptoms of anxiety, tachycardia, tinnitus, tremor, upper respiratory infection, urinary tract infection, urticaria, vertigo, viral gastroenteritis, voice change, vomiting, xerostomia | | | | | |
| BENZONATATE 100 MG CAPSULE | 67877057301 | CAPSULE | 100 MG | ORAL | ANTITUSSIVES, NON-OPIOID |
| Drug Add Date: | | 10/05/2017 | | | |
| Generic Name: | | benzonatate | | Suggested Wholesale Price: \$2.50250 | |
| Disease Descriptions: cough | | | | | |
| Side Effects: acute confusion, bronchospastic pulmonary disease, chest discomfort, constipation, dizziness, drowsy, hallucinations, headache disorder, laryngismus, nasal congestion, nausea, pruritus of skin, sedation, skin rash | | | | | |
| CHANTIX 1 MG CONT MONTH BOX | 00069046903 | TABLET | 1 MG | ORAL | SMOKING DETERRENT-NICOTINIC RECEPT.PARTIAL AGONIST |
| Drug Add Date: | | 07/20/2015 | | | |
| Generic Name: | | varenicline tartrate | | Suggested Wholesale Price: Not Provided | |
| Disease Descriptions: smoking cessation | | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|---|--|----------------------|-----------------------------------|--------------|---|
| CHANTIX 1 MG CONT MONTH BOX | <p>Side Effects: abnormal hepatic function tests, accidental injury, acne vulgaris, acute abdominal pain, acute myocardial infarction, acute pancreatitis, aggressive behavior, agitation, alcohol intolerance, allergic rhinitis, anemia, angina, angioedema, anorexia, arthralgia, asthma, back pain, behavioral disorders, cardiac arrhythmia, cerebrovascular accident, chest pain, concentration difficulty, constipation, cramps, delusional disorder, depression, diabetes mellitus, diarrhea, disturbance of attention, dizziness, dream disorder, drowsy, drug-induced hot flash, drug-induced psychosis, dry skin, dysgeusia, dyspepsia, dyspnea, eczema, edema, epistaxis, erectile dysfunction, erythema multiforme, fatigue, flatulence, flu-like symptoms, flushing, gastroesophageal reflux disease, general weakness, hallucinations, headache disorder, homicidal ideation, hostility, hyperglycemia, hyperhidrosis, hypersensitivity drug reaction, hypertension, increased appetite, increased urinary frequency, insomnia, lethargy, libido changes, lymphadenopathy, malaise, manic disorder, menstrual disorder, mood changes, myalgia, nausea, nightmares, nocturia, palpitations, panic disorder, paranoid disorder, peripheral vascular disease, polyuria, pruritus of skin, psoriasis, rhinorrhea, seizure disorder, skin photosensitivity, skin rash, sleep disorder, sleep walking disorder, Stevens-Johnson syndrome, suicidal, suicidal ideation, symptoms of anxiety, thrombotic disorder, tinnitus, toothache, transient cerebral ischemia, unconsciousness, upper respiratory infection, urticaria, vertigo, visual changes, vomiting, weight gain, xerostomia</p> | | | | |
| CHANTIX 1 MG TABLET | 00069046956 | TABLET | 1 MG | ORAL | SMOKING DETERRENT- NICOTINIC RECEPT.PARTIAL AGONIST |
| | Drug Add Date: | 06/12/2006 | | | |
| | Generic Name: | varenicline tartrate | Suggested Wholesale Price: | Not Provided | |
| | Disease Descriptions: smoking cessation | | | | |
| | <p>Side Effects: abnormal hepatic function tests, accidental injury, acne vulgaris, acute abdominal pain, acute myocardial infarction, acute pancreatitis, aggressive behavior, agitation, alcohol intolerance, allergic rhinitis, anemia, angina, angioedema, anorexia, arthralgia, asthma, back pain, behavioral disorders, cardiac arrhythmia, cerebrovascular accident, chest pain, concentration difficulty, constipation, cramps, delusional disorder, depression, diabetes mellitus, diarrhea, disturbance of attention, dizziness, dream disorder, drowsy, drug-induced hot flash, drug-induced psychosis, dry skin, dysgeusia, dyspepsia, dyspnea, eczema, edema, epistaxis, erectile dysfunction, erythema multiforme, fatigue, flatulence, flu-like symptoms, flushing, gastroesophageal reflux disease, general weakness, hallucinations, headache disorder, homicidal ideation, hostility, hyperglycemia, hyperhidrosis, hypersensitivity drug reaction, hypertension, increased appetite, increased urinary frequency, insomnia, lethargy, libido changes, lymphadenopathy, malaise, manic disorder, menstrual disorder, mood changes, myalgia, nausea, nightmares, nocturia, palpitations, panic disorder, paranoid disorder, peripheral vascular disease, polyuria, pruritus of skin, psoriasis, rhinorrhea, seizure disorder, skin photosensitivity, skin rash, sleep disorder, sleep walking disorder, Stevens-Johnson syndrome, suicidal, suicidal ideation, symptoms of anxiety, thrombotic disorder, tinnitus, toothache, transient cerebral ischemia, unconsciousness, upper respiratory infection, urticaria, vertigo, visual changes, vomiting, weight gain, xerostomia</p> | | | | |
| CHANTIX STARTING MONTH BOX | 00069047103 | TABLET, DOSE PACK | 0.5 (11)-1 | ORAL | SMOKING DETERRENT- NICOTINIC RECEPT.PARTIAL AGONIST |
| | Drug Add Date: | 06/24/2015 | | | |
| | Generic Name: | varenicline tartrate | Suggested Wholesale Price: | Not Provided | |
| | Disease Descriptions: smoking cessation | | | | |
| | <p>Side Effects: abnormal hepatic function tests, accidental injury, acne vulgaris, acute abdominal pain, acute myocardial infarction, acute pancreatitis, aggressive behavior, agitation, alcohol intolerance, allergic rhinitis, anemia, angina, angioedema, anorexia, arthralgia, asthma, back pain, behavioral disorders, cardiac arrhythmia, cerebrovascular accident, chest pain, concentration difficulty, constipation, cramps, delusional disorder, depression, diabetes mellitus, diarrhea, disturbance of attention, dizziness, dream disorder, drowsy, drug-induced hot flash, drug-induced psychosis, dry skin, dysgeusia, dyspepsia, dyspnea, eczema, edema, epistaxis, erectile dysfunction, erythema multiforme, fatigue, flatulence, flu-like symptoms, flushing, gastroesophageal reflux disease, general weakness, hallucinations, headache disorder, homicidal ideation, hostility, hyperglycemia, hyperhidrosis, hypersensitivity drug reaction, hypertension, increased appetite, increased urinary frequency, insomnia, lethargy, libido changes, lymphadenopathy, malaise, manic disorder, menstrual disorder, mood changes, myalgia, nausea, nightmares, nocturia, palpitations, panic disorder, paranoid disorder, peripheral vascular disease, polyuria, pruritus of skin, psoriasis, rhinorrhea, seizure disorder, skin photosensitivity, skin rash, sleep disorder, sleep walking disorder, Stevens-Johnson syndrome, suicidal, suicidal ideation, symptoms of anxiety, thrombotic disorder, tinnitus, toothache, transient cerebral ischemia, unconsciousness, upper respiratory infection, urticaria, vertigo, visual changes, vomiting, weight gain, xerostomia</p> | | | | |
| DOXYCYCLINE HYCLATE 100 MG TAB | 67253039115 | TABLET | 100 MG | ORAL | TETRACYCLINE ANTIBIOTICS |
| | Drug Add Date: | 04/08/2014 | | | |
| | Generic Name: | doxycycline hyclate | Suggested Wholesale Price: | \$6.14700 | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|---|---|--------------|------------|--------------|--|
| DOXYCYCLINE HYCLATE 100 MG TAB | <p>Disease Descriptions: acne rosacea, acne vulgaris, actinomycosis, acute gonococcal cervicitis, acute gonococcal endometritis, acute gonococcal epididymo-orchitis, acute gonococcal urethritis, acute lower genitourinary gonorrhoea, acute Staph. aureus sinusitis, atypical mycobacterial infection, bacterial pneumonia, bacterial urinary tract infection, bartonellosis, boutonneuse fever, brucellosis, Campylobacter fetus infection, chancroid, Chlamydial epididymitis, chlamydial infections, chloro-resistant falciparum malaria prevention, chloroquine-resistant Plasmodium falciparum malaria, cholera, cutaneous anthrax, disseminated gonococcal infection, ehrlichiosis, enterocolitis, gastrointestinal anthrax, genitourinary Chlamydia trachomatis infection, gingivostomatitis, gonococcal pharyngitis, granuloma inguinale, inclusion conjunctivitis caused by Chlamydia trachomatis, inhaled anthrax, leptospirosis, listeriosis, louse-borne typhus, Lyme arthritis, Lyme disease, Lyme disease prevention, lymphogranuloma venereum, malaria, malaria prevention, murine typhus, mycoplasma pneumonia, nongonococcal urethritis, ocular rosacea, periodontitis adjunct therapy, pharyngitis, plague, Plasmodium vivax malaria prevention, pneumococcal pneumonia, post-exposure anthrax prevention, postexposure plague prophylaxis, psittacosis, Q fever, Q fever endocarditis, recrudescence typhus, rectal Chlamydia trachomatis infection, rectal gonorrhoea, relapsing fever, rickettsial infection, rickettsialpox, Rocky Mountain spotted fever, scrub typhus, severe malaria, sinusitis, skin and skin structure infection, syphilis, trachoma, tularemia, typhus infections, upper respiratory pneumococcal infection, yaws</p> <p>Side Effects: acute lupus erythematosus, anaphylaxis, angioedema, anogenital candidiasis, anorexia, Clostridioides difficile infection, dental discoloration, diarrhea, DRESS syndrome, dysphagia, enterocolitis, eosinophilia, erythema, erythema multiforme, esophageal ulcer, esophagitis, exfoliative dermatitis, fungal infection, glossitis, headache disorder, hemolytic anemia, hepatitis, hypersensitivity drug reaction, hypertension, idiopathic intracranial hypertension, intracranial hypertension, Jarisch-Herxheimer reaction, maculopapular rash, nausea, neutropenic disorder, pancreatitis, pericarditis, pharyngitis, purpura, serum sickness, skin photosensitivity, skin pigmentation enhancement, skin rash, Stevens-Johnson syndrome, thrombocytopenic disorder, toxic epidermal necrolysis, upper abdominal pain, urticaria, vaginitis, vomiting, vulvovaginal candidiasis</p> | | | | |
| ENOXAPARIN 40 MG/0.4 ML SYR | 00548560200 | SYRINGE (ML) | 40MG/0.4ML | SUBCUTANEOUS | HEPARIN AND RELATED PREPARATIONS |
| Drug Add Date: 10/04/2011 | | | | | |
| Generic Name: enoxaparin sodium Suggested Wholesale Price: Not Provided | | | | | |
| Disease Descriptions: abdominal surgery deep vein thrombosis prevention, acute ST elevation myocardial infarction, deep vein thrombosis prevention, deep vein thrombosis with pulmonary embolism, deep venous thrombosis, hip surgery deep vein thrombosis prevention, knee replacement deep vein thrombosis prevention, prevent extracorporeal clotting during hemodialysis, prevention of cardiac ischemia in unstable angina, prevention of ischemic complications of non-Q wave MI, prevention of recurrent venous thrombosis in malignancy, thrombosis prevention after PCI | | | | | |
| Side Effects: abnormal hepatic function tests, acute confusion, allergic dermatitis, alopecia, anaphylaxis, anemia, angioedema, cholestatic hepatitis, cutaneous vasculitis, dermal necrosis, diarrhea, dyspnea, ecchymosis, eosinophilia, fever, headache disorder, hematoma, hematuria, hemorrhage, heparin-induced thrombocytopenia, hepatocellular damage, hyperkalemia, hyperlipidemia, hypersensitivity drug reaction, injection site sequelae, nausea, osteoporosis, peripheral edema, pruritus of skin, purpura, skin rash, spinal epidural hematoma, thrombocytopenic disorder, thrombocytosis, thrombosis in heparin-induced thrombocytopenia, urticaria | | | | | |
| ERYTHROMYCIN 500 MG FILMTAB | 24338010413 | TABLET | 500 MG | ORAL | MACROLIDE ANTIBIOTICS |
| Drug Add Date: 07/13/2011 | | | | | |
| Generic Name: erythromycin base Suggested Wholesale Price: Not Provided | | | | | |
| Disease Descriptions: acne vulgaris, actinomycosis, acute bacterial otitis media, acute bacterial sinusitis, acute streptococcal pyogenes bacterial sinusitis, acute Streptococcus pneumoniae bacterial sinusitis, bacterial pneumonia, chancroid, chlamydia cervicitis, Chlamydia trachomatis urethritis, chlamydial conjunctivitis, chlamydial pneumonia, diphtheria, diphtheria carrier state, ecthyma, enteric campylobacteriosis, erysipelas, erysipelas, erythrasma, gastroesophageal reflux disease, gastroparesis, granuloma inguinale, Legionnaires disease, Listeria monocytogenes septicemia, listeriosis, Lyme disease, lymphogranuloma venereum, mycoplasma pneumonia, neonatal pneumonia, nongonococcal urethritis, pertussis, pharyngitis due to Streptococcus pyogenes, pneumococcal acute otitis media, pneumococcal pharyngitis, pneumococcal pneumonia, post-exposure diphtheria prevention, preoperative bowel preparation, rectal Chlamydia trachomatis infection, relapsing fever, rheumatic fever prevention, skin and skin structure infection, skin and skin structure Strep. pyogenes infection, Staphylococcus aureus skin and skin structure infection, Streptococcus acute otitis media, syphilis, Ureaplasma pneumonia | | | | | |
| Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute pancreatitis, allergic dermatitis, cardiac arrhythmia, Clostridioides difficile infection, diarrhea, drug-induced hepatitis, erythema, erythema multiforme, fungal infection, hearing loss, interstitial nephritis, nausea, neuromuscular blockade, prolonged QT interval, seizure disorder, skin rash, Stevens-Johnson syndrome, torsades de pointes, toxic epidermal necrolysis, ventricular tachycardia, vomiting | | | | | |
| HYDROCODONE-ACETAMIN 7.5-325 | 27808003602 | TABLET | 7.5-325 MG | ORAL | OPIOID ANALGESIC AND NON-SALICYLATE ANALGESICS |
| Drug Add Date: 06/20/2014 DailyMME Factor: 1 | | | | | |
| Generic Name: hydrocodone/acetaminophen Suggested Wholesale Price: \$0.77020 | | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|-------------------------------------|--|---------------------------|-----------------------------------|-----------|--|
| HYDROCODONE-ACETAMIN 7.5-325 | Disease Descriptions: pain | | | | |
| | Side Effects: abnormal hepatic function tests, accidental fall, acute abdominal pain, acute confusion, acute generalized exanthematous pustulosis, acute hepatic failure, adrenal cortical insufficiency, agranulocytosis, allergic dermatitis, anaphylaxis, androgen deficiency, angioedema, anorexia, arthralgia, ataxia, atelectasis, back pain, biliary spasm, blurred vision, bradycardia, bronchospastic pulmonary disease, CNS depression, constipation, dehydration, depression, diplopia, disorder of adrenal gland, dizziness, drowsy, drug dependence, drug-induced hepatitis, dysgeusia, dysphagia, dysphoric mood, dyspnea, elevated serum amylase, erectile dysfunction, erythema, false sense of well-being, fatigue, female hypogonadism, fever, flushing, gastroesophageal reflux disease, gastrointestinal irritation, general weakness, hallucinations, headache disorder, hearing loss, hyperhidrosis, hypertension, hypokalemia, hypotension, ileus, increased cerebrospinal fluid pressure, infertility, insomnia, involuntary muscle movement, ischemic colitis, laryngeal edema, laryngismus, lethargy, leukopenia, libido changes, maculopapular rash, malaise, male hypogonadism, medication overuse headache, migraine, mood changes, muscle rigidity, muscle spasm, musculoskeletal pain, myalgia, nausea, neck pain, nervousness, neutropenic disorder, night sweats, nightmares, opioid dependence, orthostatic hypotension, pancreatitis, paralytic ileus, paresthesia, peripheral edema, pruritus of skin, respiratory depression, sedation, seizure disorder, skin rash, Stevens-Johnson syndrome, symptoms of anxiety, syncope, tachycardia, thrombocytopenic disorder, tinnitus, toxic epidermal necrolysis, tremor, upper respiratory infection, ureteral spasm, urinary tract infection, urticaria, visual changes, vomiting, xerostomia | | | | |
| HYDROCODONE-ACETAMIN 7.5-325 | 00406012401 | TABLET | 7.5-325 MG | ORAL | OPIOID ANALGESIC AND NON-SALICYLATE ANALGESICS |
| | Drug Add Date: | 09/17/2014 | DailyMME Factor: | 1 | |
| | Generic Name: | hydrocodone/acetaminophen | Suggested Wholesale Price: | \$0.77020 | |
| | Disease Descriptions: pain | | | | |
| | Side Effects: abnormal hepatic function tests, accidental fall, acute abdominal pain, acute confusion, acute generalized exanthematous pustulosis, acute hepatic failure, adrenal cortical insufficiency, agranulocytosis, allergic dermatitis, anaphylaxis, androgen deficiency, angioedema, anorexia, arthralgia, ataxia, atelectasis, back pain, biliary spasm, blurred vision, bradycardia, bronchospastic pulmonary disease, CNS depression, constipation, dehydration, depression, diplopia, disorder of adrenal gland, dizziness, drowsy, drug dependence, drug-induced hepatitis, dysgeusia, dysphagia, dysphoric mood, dyspnea, elevated serum amylase, erectile dysfunction, erythema, false sense of well-being, fatigue, female hypogonadism, fever, flushing, gastroesophageal reflux disease, gastrointestinal irritation, general weakness, hallucinations, headache disorder, hearing loss, hyperhidrosis, hypertension, hypokalemia, hypotension, ileus, increased cerebrospinal fluid pressure, infertility, insomnia, involuntary muscle movement, ischemic colitis, laryngeal edema, laryngismus, lethargy, leukopenia, libido changes, maculopapular rash, malaise, male hypogonadism, medication overuse headache, migraine, mood changes, muscle rigidity, muscle spasm, musculoskeletal pain, myalgia, nausea, neck pain, nervousness, neutropenic disorder, night sweats, nightmares, opioid dependence, orthostatic hypotension, pancreatitis, paralytic ileus, paresthesia, peripheral edema, pruritus of skin, respiratory depression, sedation, seizure disorder, skin rash, Stevens-Johnson syndrome, symptoms of anxiety, syncope, tachycardia, thrombocytopenic disorder, tinnitus, toxic epidermal necrolysis, tremor, upper respiratory infection, ureteral spasm, urinary tract infection, urticaria, visual changes, vomiting, xerostomia | | | | |
| MELOXICAM 15 MG TABLET | 29300012501 | TABLET | 15 MG | ORAL | NSAIDS, CYCLOOXYGENASE INHIBITOR - TYPE ANALGESICS |
| | Drug Add Date: | 06/10/2009 | Suggested Wholesale Price: | \$4.84500 | |
| | Generic Name: | meloxicam | | | |
| | Disease Descriptions: ankylosing spondylitis, gout, juvenile idiopathic arthritis, non-radiographic axial spondyloarthritis, osteoarthritis, rheumatoid arthritis | | | | |
| | Side Effects: abnormal hepatic function tests, acute abdominal pain, acute confusion, acute myocardial infarction, agranulocytosis, alopecia, anaphylaxis, anemia, angina, angioedema, aphthous stomatitis, asthma, black tarry stools, body fluid retention, bronchospastic pulmonary disease, bullous dermatitis, cerebrovascular accident, chest tightness, colitis, constipation, cough, diarrhea, dizziness, drowsy, drug-induced hepatitis, dysgeusia, dyspepsia, dyspnea, edema, eructation, erythema multiforme, esophagitis, exfoliative dermatitis, facial edema, fatigue, fever, flatulence, flu-like symptoms, flushing, gastric ulcer, gastroesophageal reflux disease, gastrointestinal hemorrhage, gastrointestinal perforation, gastrointestinal ulcer, headache disorder, hematuria, hepatic failure, hyperhidrosis, hyperkalemia, hypertension, hypotension, increased urinary frequency, jaundice, leukopenia, malaise, mood changes, nausea, nephrotoxicity, nervousness, neutropenic disorder, pain, pancreatitis, paresthesia, pharyngitis, proteinuria, pruritus of skin, purpura, renal failure, renal papillary necrosis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, symptoms of anxiety, syncope, tachyarrhythmia, tachycardia, thrombocytopenic disorder, tinnitus, toxic epidermal necrolysis, tremor, upper respiratory infection, urinary retention, urinary tract infection, urticaria, vasculitis, visual changes, vomiting, weight gain, weight loss, wheezing, worsening of chronic heart failure, xerostomia | | | | |
| METHOCARBAMOL 500 MG TABLET | 43547040510 | TABLET | 500 MG | ORAL | SKELETAL MUSCLE RELAXANTS |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|---|--|--------------------|-----------------------------------|-----------|--|
| METHOCARBAMOL 500 MG TABLET | Drug Add Date: | 01/22/2018 | | | |
| | Generic Name: | methocarbamol | Suggested Wholesale Price: | \$0.50790 | |
| | Disease Descriptions: muscle spasm | | | | |
| | Side Effects: acute confusion, allergic dermatitis, anaphylaxis, blurred vision, bradycardia, conjunctivitis, diplopia, dizziness, drowsy, drug fever, dyskinesia, dyspepsia, flushing, headache disorder, hypotension, injection site sequelae, insomnia, jaundice, leukopenia, memory impairment, muscle weakness, nasal congestion, nausea, nystagmus, obstructive hyperbilirubinemia, pruritus of skin, sedation, skin rash, syncope, thrombophlebitis, tonic clonic seizure, urticaria, vertigo, visual changes, vomiting | | | | |
| METHYLPREDNISOLONE 4 MG DOSEPK | 68001000501 | TABLET, DOSE PACK | 4 MG | ORAL | GLUCOCORTICOIDS |
| | Drug Add Date: | 09/17/2013 | | | |
| | Generic Name: | methylprednisolone | Suggested Wholesale Price: | \$1.42904 | |
| | Disease Descriptions: acquired thrombocytopenia, acute exacerbation of multiple sclerosis, acute gouty arthritis, acute lymphoid leukemia, adjunct tx for COVID-19 requiring oxygen or ventilation, adrenal cortical insufficiency, adrenogenital disorder, allergic rhinitis, angioedema, ankylosing spondylitis, aspiration pneumonitis, asthma, atopic dermatitis, autoimmune hemolytic anemia, berylliosis, bursitis, carditis, celiac disease, congenital adrenal hyperplasia, contact dermatitis, Crohns disease, dermatitis herpetiformis, diagnostic test for Cushings syndrome, Diamond Blackfan anemia, eczema, epicondylitis, erythema multiforme, erythroblastic anemia, exfoliative dermatitis, follicular lymphoma, giant cell arteritis, Hodgkins lymphoma, humoral hypercalcemia of malignancy, hypercalcemia associated with sarcoidosis, hypersensitivity drug reaction, idiopathic thrombocytopenic purpura, inflammatory bowel disease, juvenile idiopathic arthritis, Loffler syndrome, miliary tuberculosis, multiple myeloma, mycosis fungoides, nasal polyp, nephrotic syndrome, non-Hodgkins lymphoma, obstructive pulmonary disease, ocular inflammation, organ transplant rejection, pemphigoid, pemphigus, pericarditis, polyarteritis nodosa, polymyalgia rheumatica, post traumatic osteoarthritis, primary adrenocortical insufficiency, pseudogout, psoriasis, psoriatic arthritis, rheumatic carditis, rheumatic fever, rheumatoid arthritis, sarcoidosis, serum sickness, synovitis, synovitis due to osteoarthritis, systemic dermatomyositis, systemic lupus erythematosus, tendonitis, tenosynovitis, thyroiditis, trichinosis, vasculitis | | | | |
| Side Effects: abdominal distension, abnormal hepatic function tests, acne vulgaris, acute confusion, acute pancreatitis, allergic dermatitis, amenorrhea, anaphylaxis, anemia, angioedema, arthralgia, avascular necrosis of bone, blurred vision, body fluid retention, bradycardia, cardiac arrest, cardiac arrhythmia, cataracts, central serous chorioretinopathy, chronic heart failure, delirium, depression, diabetes mellitus, dizziness, drug-induced psychosis, dry skin, dyspnea, ecchymosis, edema, epidural lipomatosis, erythema, esophageal ulcer, euphoria, excitement, exophthalmos, facial edema, fat embolism, fracture, gastric acid hypersecretory conditions, gastrointestinal hemorrhage, gastrointestinal perforation, glaucoma, glycosuria, hallucinations, headache disorder, hepatomegaly, hiccups, hirsutism, hypercortisolism, hyperglycemia, hyperhidrosis, hypernatremia, hypertension, hyperthyroidism, hypocalcemia, hypokalemia, hypothalamic-pituitary insufficiency, hypothyroidism, idiopathic intracranial hypertension, impaired wound healing, increased appetite, infection, insomnia, irregular menstrual periods, Kaposi sarcoma, leukocytosis, lipodystrophy, lupus-like syndrome, malaise, memory impairment, menstrual disorder, mood changes, muscle weakness, myopathy, nausea, nervousness, ocular hypertension, osteoporosis, papilledema, paranoid disorder, paresthesia, peptic ulcer, peripheral sensory neuropathy, personality disorders, petechiae, pheochromocytoma, pulmonary edema, purpura, seizure disorder, skin atrophy, skin rash, skin scaling, skin striae, syncope, tachycardia, telangiectasia, tendon rupture, thromboembolic disorder, thrombophlebitis, urticaria, vasculitis, vertigo, weight gain | | | | | |
| NAPROXEN 500 MG TABLET | 68462019005 | TABLET | 500 MG | ORAL | NSAIDS, CYCLOOXYGENASE INHIBITOR - TYPE ANALGESICS |
| | Drug Add Date: | 01/07/2005 | | | |
| | Generic Name: | naproxen | Suggested Wholesale Price: | \$1.19250 | |
| | Disease Descriptions: ankylosing spondylitis, bursitis, dysmenorrhea, fever, gout, headache disorder, juvenile idiopathic arthritis, minor musculoskeletal injury, non-radiographic axial spondyloarthritis, osteoarthritis, pain, rheumatoid arthritis, tendonitis | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|--------------------------------------|---|-------------------------|-----------------------------------|----------------|--|
| NAPROXEN 500 MG TABLET | Side Effects: abnormal hepatic function tests, acute confusion, acute myocardial infarction, acute pancreatitis, agranulocytosis, allergic dermatitis, alopecia, anaphylaxis, anemia, angioedema, aplastic anemia, appetite changes, bacterial sepsis, black tarry stools, bloody vomit, blurred vision, body fluid retention, bronchospastic pulmonary disease, bruising, cardiac arrhythmia, cerebrovascular accident, chest tightness, chronic heart failure, colitis, coma, concentration difficulty, conjunctivitis, constipation, corneal opacity, cystitis, depression, diarrhea, dizziness, drowsy, dyspepsia, dyspnea, dysuria, ecchymosis, edema, eosinophilia, eosinophilic pneumonia, eructation, erythema multiforme, erythema nodosum, esophagitis, exfoliative dermatitis, fatigue, fever, gastric ulcer, gastritis, gastrointestinal hemorrhage, gastrointestinal obstruction, gastrointestinal perforation, gastrointestinal ulcer, general weakness, glomerulonephritis, glossitis, hallucinations, headache disorder, hearing loss, heart failure, heartburn, hematuria, hemolytic anemia, hemorrhage, hepatic failure, hepatitis, hyperglycemia, hyperhidrosis, hyperkalemia, hypertension, hypoglycemic disorder, hypotension, insomnia, interstitial nephritis, jaundice, kidney disease with reduction in GFR, leukopenia, lichen planus, Loffler syndrome, lupus-like syndrome, lymphadenopathy, menstrual disorder, muscle weakness, myalgia, nausea, nephrotic syndrome, nervousness, neutropenic disorder, non-infective meningitis, oliguria, optic neuritis, palpitations, pancytopenia, papilledema, paresthesia, peptic ulcer, pneumonia, polydipsia, polyuria, proteinuria, pruritus of skin, pulmonary edema, purpura, rectal bleeding, renal failure, renal papillary necrosis, renal tubular necrosis, respiratory depression, seizure disorder, skin photosensitivity, skin rash, Stevens-Johnson syndrome, stomatitis, symptoms of anxiety, syncope, tachycardia, thrombocytopenic disorder, thrombotic disorder, tinnitus, toxic epidermal necrolysis, tremor, upper abdominal pain, urticaria, vasculitis, vertigo, visual changes, vomiting, weight gain, wheezing, xerostomia | | | | |
| NARCAN 4 MG NASAL SPRAY | 69547035302 | SPRAY, NON-AEROSOL (EA) | 4 MG | NASAL | OPIOID ANTAGONISTS |
| | Drug Add Date: 12/03/2015 | | | | |
| | Generic Name: naloxone HCl | | Suggested Wholesale Price: | | Not Provided |
| | Disease Descriptions: opiate-induced respiratory depression, opioid overdose | | | | |
| | Side Effects: cardiac arrest, constipation, dry nose, dyspnea, headache disorder, hyperhidrosis, hypertension, hypotension, irritability, muscle spasm, musculoskeletal pain, nasal congestion, nasal mucosa edematous, nausea, opioid withdrawal symptoms, pulmonary edema, toothache, ventricular fibrillation, ventricular tachycardia, vomiting | | | | |
| NEOMYCIN 500 MG TABLET | 00093117701 | TABLET | 500 MG | ORAL | AMINOGLYCOSIDE ANTIBIOTICS |
| | Drug Add Date: 04/04/1997 | | | | |
| | Generic Name: neomycin sulfate | | Suggested Wholesale Price: | | \$1.36400 |
| | Disease Descriptions: hepatic coma, hepatic encephalopathy, preoperative bowel preparation | | | | |
| | Side Effects: allergic dermatitis, diarrhea, malabsorption states, mouth irritation, nausea, nephrotoxicity, neuromuscular blockade, ototoxicity, rectal irritation, rectal pain, skin rash, vomiting | | | | |
| ORTHOVISC 15 MG/ML SYRINGE | 59676036001 | SYRINGE (ML) | 30 MG/2 ML | INTRAARTICULAR | ANTI-INFLAMMATORY/ANTIARTHRITICS AGENTS, MISC. |
| | Drug Add Date: 03/05/2004 | | | | |
| | Generic Name: hyaluronate sodium | | Suggested Wholesale Price: | | Not Provided |
| | Disease Descriptions: osteoarthritis of the knee | | | | |
| | Side Effects: abdominal pain with cramps, anaphylaxis, anorexia, diarrhea, drug fever, ecchymosis, gastrointestinal irritation, headache disorder, injection site sequelae, knee inflammation, nausea, pruritus of skin, skin rash, urticaria, vomiting | | | | |
| OXYCODONE-ACETAMINOPHEN 5-325 | 42858010201 | TABLET | 5 MG-325MG | ORAL | OPIOID ANALGESIC AND NON-SALICYLATE ANALGESICS |
| | Drug Add Date: 10/07/2014 | | DailyMME Factor: | | 1.5 |
| | Generic Name: oxycodone HCl/acetaminophen | | Suggested Wholesale Price: | | \$1.36870 |
| | Disease Descriptions: pain | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|---------------------------------------|---|--|-----------------------------------|--------------|------------------------|
| OXYCODONE-ACETAMINOPHE N 5-325 | Side Effects: abnormal hepatic function tests, accidental injury, acute abdominal pain, acute confusion, acute generalized exanthematous pustulosis, acute hepatic failure, acute respiratory insufficiency, adrenal cortical insufficiency, agitation, agranulocytosis, allergic dermatitis, amblyopia, anaphylaxis, androgen deficiency, anemia, angioedema, anorexia, apnea, arthralgia, arthritis, atelectasis, biliary spasm, bronchospastic pulmonary disease, chills, constipation, depression, diarrhea, disorder of adrenal gland, dizziness, drowsy, drug dependence, drug-induced hepatitis, dyspepsia, dysphagia, dyspnea, dysuria, edema, erectile dysfunction, erythema, euphoria, fatigue, fever, flu-like symptoms, flushing, general weakness, glossitis, hallucinations, headache disorder, heart failure, hematuria, hyperglycemia, hyperhidrosis, hypertonia, hypotension, hypothalamic-pituitary insufficiency, ileus, infertility, insomnia, laryngeal edema, laryngismus, leukopenia, libido changes, maculopapular rash, malaise, medication overuse headache, migraine, nausea, nervousness, neutropenic disorder, orthostatic hypotension, palpitations, peripheral edema, pharyngeal edema, pharyngitis, pruritus of skin, respiratory depression, shock, skin photosensitivity, skin rash, sleep apnea, Stevens-Johnson syndrome, stomatitis, symptoms of anxiety, syncope, tachycardia, thrombocytopenic disorder, thrombophlebitis, toxic epidermal necrolysis, urinary retention, urinary tract infection, urticaria, vasodilation of blood vessels, vomiting, xerostomia | | | | |
| PANTOPRAZOLE SOD DR 40 MG TAB | 00008060701 | TABLET, DELAYED RELEASE (ENTERIC COATED) | 40 MG | ORAL | PROTON-PUMP INHIBITORS |
| | Drug Add Date: | 01/30/2008 | | | |
| | Generic Name: | pantoprazole sodium | Suggested Wholesale Price: | Not Provided | |
| | Disease Descriptions: duodenal ulcer, duodenal ulcer due to H. pylori, dyspepsia, erosive esophagitis, gastric hypersecretion with systemic mastocytosis, gastric ulcer, gastroesophageal reflux disease, heartburn, Helicobacter pylori gastritis, maintenance of healing erosive esophagitis, pathological gastric acid hypersecretory condition, prevention of NSAID-induced gastric ulcer, upper GI bleed, Zollinger-Ellison syndrome | | | | |
| | Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute confusion, acute hepatic failure, agranulocytosis, anaphylaxis, angioedema, arthralgia, atrophic gastritis, benign fundic gland polyposis of stomach, blurred vision, bronchospastic pulmonary disease, Clostridioides difficile infection, constipation, depression, diarrhea, dizziness, drowsy, dysgeusia, erythema multiforme, exfoliative dermatitis, facial edema, fatigue, flatulence, fracture, general weakness, hallucinations, headache disorder, hepatitis, hypertriglyceridemia, hypomagnesemia, hyponatremia, increased urinary frequency, insomnia, interstitial nephritis, jaundice, leukopenia, loss of taste, malaise, myalgia, nausea, neutropenic disorder, pancytopenia, pruritus of skin, rhabdomyolysis, rhinitis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, subacute cutaneous lupus erythematosus, thrombocytopenic disorder, toxic epidermal necrolysis, upper respiratory infection, urticaria, vertigo, vitamin B12 deficiency, vomiting, xerostomia | | | | |
| PANTOPRAZOLE SOD DR 40 MG TAB | 66993006885 | TABLET, DELAYED RELEASE (ENTERIC COATED) | 40 MG | ORAL | PROTON-PUMP INHIBITORS |
| | Drug Add Date: | 05/05/2015 | | | |
| | Generic Name: | pantoprazole sodium | Suggested Wholesale Price: | \$0.43400 | |
| | Disease Descriptions: duodenal ulcer, duodenal ulcer due to H. pylori, dyspepsia, erosive esophagitis, gastric hypersecretion with systemic mastocytosis, gastric ulcer, gastroesophageal reflux disease, heartburn, Helicobacter pylori gastritis, maintenance of healing erosive esophagitis, pathological gastric acid hypersecretory condition, prevention of NSAID-induced gastric ulcer, upper GI bleed, Zollinger-Ellison syndrome | | | | |
| | Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute confusion, acute hepatic failure, agranulocytosis, anaphylaxis, angioedema, arthralgia, atrophic gastritis, benign fundic gland polyposis of stomach, blurred vision, bronchospastic pulmonary disease, Clostridioides difficile infection, constipation, depression, diarrhea, dizziness, drowsy, dysgeusia, erythema multiforme, exfoliative dermatitis, facial edema, fatigue, flatulence, fracture, general weakness, hallucinations, headache disorder, hepatitis, hypertriglyceridemia, hypomagnesemia, hyponatremia, increased urinary frequency, insomnia, interstitial nephritis, jaundice, leukopenia, loss of taste, malaise, myalgia, nausea, neutropenic disorder, pancytopenia, pruritus of skin, rhabdomyolysis, rhinitis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, subacute cutaneous lupus erythematosus, thrombocytopenic disorder, toxic epidermal necrolysis, upper respiratory infection, urticaria, vertigo, vitamin B12 deficiency, vomiting, xerostomia | | | | |
| PANTOPRAZOLE SOD DR 40 MG TAB | 65162063709 | TABLET, DELAYED RELEASE (ENTERIC COATED) | 40 MG | ORAL | PROTON-PUMP INHIBITORS |
| | Drug Add Date: | 10/12/2016 | | | |
| | Generic Name: | pantoprazole sodium | Suggested Wholesale Price: | \$10.79000 | |
| | Disease Descriptions: duodenal ulcer, duodenal ulcer due to H. pylori, dyspepsia, erosive esophagitis, gastric hypersecretion with systemic mastocytosis, gastric ulcer, gastroesophageal reflux disease, heartburn, Helicobacter pylori gastritis, maintenance of healing erosive esophagitis, pathological gastric acid hypersecretory condition, prevention of NSAID-induced gastric ulcer, upper GI bleed, Zollinger-Ellison syndrome | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|---------------------------------------|---|--|-----------------------------------|--------------|--------------------------|
| PANTOPRAZOLE SOD DR 40 MG TAB | <p>Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute confusion, acute hepatic failure, agranulocytosis, anaphylaxis, angioedema, arthralgia, atrophic gastritis, benign fundic gland polyposis of stomach, blurred vision, bronchospastic pulmonary disease, Clostridioides difficile infection, constipation, depression, diarrhea, dizziness, drowsy, dysgeusia, erythema multiforme, exfoliative dermatitis, facial edema, fatigue, flatulence, fracture, general weakness, hallucinations, headache disorder, hepatitis, hypertriglyceridemia, hypomagnesemia, hyponatremia, increased urinary frequency, insomnia, interstitial nephritis, jaundice, leukopenia, loss of taste, malaise, myalgia, nausea, neutropenic disorder, pancytopenia, pruritus of skin, rhabdomyolysis, rhinitis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, subacute cutaneous lupus erythematosus, thrombocytopenic disorder, toxic epidermal necrolysis, upper respiratory infection, urticaria, vertigo, vitamin B12 deficiency, vomiting, xerostomia</p> | | | | |
| PANTOPRAZOLE SOD DR 40 MG TAB | 31722071390 | TABLET, DELAYED RELEASE (ENTERIC COATED) | 40 MG | ORAL | PROTON-PUMP INHIBITORS |
| | Drug Add Date: | 01/26/2015 | | | |
| | Generic Name: | pantoprazole sodium | Suggested Wholesale Price: | \$5.26711 | |
| | <p>Disease Descriptions: duodenal ulcer, duodenal ulcer due to H. pylori, dyspepsia, erosive esophagitis, gastric hypersecretion with systemic mastocytosis, gastric ulcer, gastroesophageal reflux disease, heartburn, Helicobacter pylori gastritis, maintenance of healing erosive esophagitis, pathological gastric acid hypersecretory condition, prevention of NSAID-induced gastric ulcer, upper GI bleed, Zollinger-Ellison syndrome</p> <p>Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute confusion, acute hepatic failure, agranulocytosis, anaphylaxis, angioedema, arthralgia, atrophic gastritis, benign fundic gland polyposis of stomach, blurred vision, bronchospastic pulmonary disease, Clostridioides difficile infection, constipation, depression, diarrhea, dizziness, drowsy, dysgeusia, erythema multiforme, exfoliative dermatitis, facial edema, fatigue, flatulence, fracture, general weakness, hallucinations, headache disorder, hepatitis, hypertriglyceridemia, hypomagnesemia, hyponatremia, increased urinary frequency, insomnia, interstitial nephritis, jaundice, leukopenia, loss of taste, malaise, myalgia, nausea, neutropenic disorder, pancytopenia, pruritus of skin, rhabdomyolysis, rhinitis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, subacute cutaneous lupus erythematosus, thrombocytopenic disorder, toxic epidermal necrolysis, upper respiratory infection, urticaria, vertigo, vitamin B12 deficiency, vomiting, xerostomia</p> | | | | |
| PANTOPRAZOLE SOD DR 40 MG TAB | 13668042990 | TABLET, DELAYED RELEASE (ENTERIC COATED) | 40 MG | ORAL | PROTON-PUMP INHIBITORS |
| | Drug Add Date: | 08/15/2011 | | | |
| | Generic Name: | pantoprazole sodium | Suggested Wholesale Price: | \$4.08000 | |
| | <p>Disease Descriptions: duodenal ulcer, duodenal ulcer due to H. pylori, dyspepsia, erosive esophagitis, gastric hypersecretion with systemic mastocytosis, gastric ulcer, gastroesophageal reflux disease, heartburn, Helicobacter pylori gastritis, maintenance of healing erosive esophagitis, pathological gastric acid hypersecretory condition, prevention of NSAID-induced gastric ulcer, upper GI bleed, Zollinger-Ellison syndrome</p> <p>Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute confusion, acute hepatic failure, agranulocytosis, anaphylaxis, angioedema, arthralgia, atrophic gastritis, benign fundic gland polyposis of stomach, blurred vision, bronchospastic pulmonary disease, Clostridioides difficile infection, constipation, depression, diarrhea, dizziness, drowsy, dysgeusia, erythema multiforme, exfoliative dermatitis, facial edema, fatigue, flatulence, fracture, general weakness, hallucinations, headache disorder, hepatitis, hypertriglyceridemia, hypomagnesemia, hyponatremia, increased urinary frequency, insomnia, interstitial nephritis, jaundice, leukopenia, loss of taste, malaise, myalgia, nausea, neutropenic disorder, pancytopenia, pruritus of skin, rhabdomyolysis, rhinitis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, subacute cutaneous lupus erythematosus, thrombocytopenic disorder, toxic epidermal necrolysis, upper respiratory infection, urticaria, vertigo, vitamin B12 deficiency, vomiting, xerostomia</p> | | | | |
| PEG-3350 AND ELECTROLYTES SOLN | 10572010001 | SOLUTION, RECONSTITUTED, ORAL | 236-22.74G | ORAL | LAXATIVES AND CATHARTICS |
| | Drug Add Date: | 07/16/2009 | | | |
| | Generic Name: | peg3350/sod sulf,bicarb,Cl/KCl | Suggested Wholesale Price: | Not Provided | |
| | <p>Disease Descriptions: bowel evacuation</p> <p>Side Effects: abdominal distension, abdominal pain with cramps, acidosis, acute abdominal pain, acute pulmonary edema, anaphylaxis, angioedema, asystole, atrial fibrillation, cardiac arrhythmia, chest tightness, chills, dehydration, dizziness, dyspepsia, dyspnea, esophageal perforation, facial edema, fever, fluid volume disorder, gastritis, headache disorder, hypercalcemia, hyperkalemia, hypernatremia, hypertension, hyperuricemia, hypocalcemia, hypokalemia, hypomagnesemia, hyponatremia, hypophosphatemia, ischemic colitis, kidney disease with reduction in GFR, lip swelling, malaise, nausea, palpitations, peripheral edema, polydipsia, pruritus of skin, rectal irritation, rhinorrhea, seizure disorder, skin inflammation, skin rash, sleep disorder, syncope, tachycardia, throat constriction, tongue swelling, tremor, ulceration of colon, upper abdominal pain, upper GI bleed, urticaria, vomiting</p> | | | | |
| PLENUV POWDER PACKETS | 65649040001 | POWDER IN PACKET, SEQUENTIAL | 140-9-5.2G | ORAL | LAXATIVES AND CATHARTICS |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|--|--|--|-----------------------------------|-------------------------|---|
| PLENVU POWDER PACKETS | Drug Add Date: | 08/07/2018 | | | |
| | Generic Name: | peg3350/sod sul/NaCl/KCl/asb/C | Suggested Wholesale Price: | Not Provided | |
| Disease Descriptions: bowel evacuation | | | | | |
| Side Effects: abdominal distension, abdominal pain with cramps, acidosis, acute abdominal pain, acute pulmonary edema, anaphylaxis, angioedema, asystole, atrial fibrillation, cardiac arrhythmia, chest tightness, chills, dehydration, dizziness, dyspepsia, dyspnea, esophageal perforation, facial edema, fever, fluid volume disorder, gastritis, headache disorder, hypercalcemia, hyperkalemia, hypernatremia, hypertension, hyperuricemia, hypocalcemia, hypokalemia, hypomagnesemia, hyponatremia, hypophosphatemia, ischemic colitis, kidney disease with reduction in GFR, lip swelling, malaise, nausea, palpitations, peripheral edema, polydipsia, pruritus of skin, rectal irritation, rhinorrhea, seizure disorder, skin inflammation, skin rash, sleep disorder, syncope, tachycardia, throat constriction, tongue swelling, tremor, ulceration of colon, upper abdominal pain, upper GI bleed, urticaria, vomiting | | | | | |
| PROAIR HFA 90 MCG INHALER | 59310057922 | HFA AEROSOL WITH ADAPTER (GRAM) | 90 MCG | INHALATION | BETA-ADRENERGIC AGENTS, INHALED, SHORT ACTING |
| | Drug Add Date: | 06/12/2012 | | | |
| | Generic Name: | albuterol sulfate | Suggested Wholesale Price: | Not Provided | |
| | Disease Descriptions: acute asthma attack, bronchospasm prevention, bronchospastic pulmonary disease, chronic obstructive pulmonary disease, exercise-induced bronchospasm prevention | | | | |
| Side Effects: abnormal ECG, anaphylaxis, angina, angioedema, ataxia, back pain, bronchial irritation, chest pain, chills, cough, cramps in legs, depression, diabetes mellitus, dizziness, drowsy, dry throat, dysgeusia, edema, eructation, fever, flatulence, headache disorder, hyperglycemia, hyperhidrosis, hyperkinesis, hypertension, hypokalemia, hypotension, insomnia, metabolic acidosis, migraine, mouth irritation, myocardial ischemia, nausea, nervousness, pain, pain in oropharynx, palpitations, paradoxical bronchospasm, pharyngeal edema, pharyngitis, rhinitis, skin rash, sore throat, symptoms of anxiety, tachycardia, tinnitus, tremor, upper respiratory infection, urinary tract infection, urticaria, vertigo, viral gastroenteritis, voice change, vomiting, xerostomia | | | | | |
| PROMETHAZINE-CODEINE SYRUP | 00603158558 | SYRUP | 6.25-10/5 | ORAL | OPIOID ANTITUSSIVE-1ST GENERATION ANTIHISTAMINE |
| | Drug Add Date: | 03/01/2006 | | DailyMME Factor: | 0.15 |
| | Generic Name: | promethazine HCl/codeine | Suggested Wholesale Price: | \$0.06913 | |
| Disease Descriptions: allergic rhinitis, cold symptoms, cough, nasal congestion, rhinorrhea | | | | | |
| Side Effects: abdominal pain with cramps, acute confusion, acute respiratory insufficiency, adrenal cortical insufficiency, agranulocytosis, anaphylaxis, androgen deficiency, angioedema, anorexia, apnea, asthma, ataxia, atelectasis, biliary spasm, blurred vision, bradycardia, cardiac arrest, CNS depression, constipation, delirium, diarrhea, diplopia, dissociation, dizziness, drowsy, drug dependence, dysphoric mood, dyspnea, dysuria, erectile dysfunction, euphoria, excitement, extrapyramidal disease, fatigue, flushing, gastrointestinal irritation, general weakness, hallucinations, headache disorder, hyperhidrosis, hypertension, hypotension, ileus, infertility, insomnia, irritability, jaundice, leukopenia, libido changes, nasal congestion, nausea, nervousness, neuroleptic malignant syndrome, nightmares, obstructive hyperbilirubinemia, oliguria, opioid dependence, orthostatic hypotension, palpitations, pancreatitis, prolonged QT interval, pruritus of skin, respiratory depression, sedation, seizure disorder, shock, skin inflammation, skin photosensitivity, skin rash, sleep apnea, symptoms of anxiety, syncope, tachycardia, thick bronchial secretions, thrombocytopenic disorder, thrombotic thrombocytopenic purpura, tinnitus, tremor, urticaria, vasodilation of blood vessels, vertigo, visual changes, vomiting, xerostomia | | | | | |
| PROTONIX DR 40 MG TABLET | 00008084181 | TABLET, DELAYED RELEASE (ENTERIC COATED) | 40 MG | ORAL | PROTON-PUMP INHIBITORS |
| | Drug Add Date: | 03/29/2000 | | | |
| | Generic Name: | pantoprazole sodium | Suggested Wholesale Price: | Not Provided | |
| Disease Descriptions: duodenal ulcer, duodenal ulcer due to H. pylori, dyspepsia, erosive esophagitis, gastric hypersecretion with systemic mastocytosis, gastric ulcer, gastroesophageal reflux disease, heartburn, Helicobacter pylori gastritis, maintenance of healing erosive esophagitis, pathological gastric acid hypersecretory condition, prevention of NSAID-induced gastric ulcer, upper GI bleed, Zollinger-Ellison syndrome | | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|--|--|-------------|------------|-------|---|
| PROTONIX DR 40 MG TABLET | Side Effects: abdominal pain with cramps, abnormal hepatic function tests, acute confusion, acute hepatic failure, agranulocytosis, anaphylaxis, angioedema, arthralgia, atrophic gastritis, benign fundic gland polyposis of stomach, blurred vision, bronchospastic pulmonary disease, Clostridioides difficile infection, constipation, depression, diarrhea, dizziness, drowsy, dysgeusia, erythema multiforme, exfoliative dermatitis, facial edema, fatigue, flatulence, fracture, general weakness, hallucinations, headache disorder, hepatitis, hypertriglyceridemia, hypomagnesemia, hyponatremia, increased urinary frequency, insomnia, interstitial nephritis, jaundice, leukopenia, loss of taste, malaise, myalgia, nausea, neutropenic disorder, pancytopenia, pruritus of skin, rhabdomyolysis, rhinitis, skin photosensitivity, skin rash, Stevens-Johnson syndrome, subacute cutaneous lupus erythematosus, thrombocytopenic disorder, toxic epidermal necrolysis, upper respiratory infection, urticaria, vertigo, vitamin B12 deficiency, vomiting, xerostomia | | | | |
| SULFAMETHOXA ZOLE-TMP DS TABLET | 57237023301 | TABLET | 800-160 MG | ORAL | ABSORBABLE SULFONAMIDE ANTIBACTERIAL AGENTS |
| Drug Add Date: 06/12/2017 | | | | | |
| Generic Name: sulfamethoxazole/trimethoprim Suggested Wholesale Price: \$1.40220 | | | | | |
| Disease Descriptions: acute bacterial otitis media, AIDS with toxoplasmosis, bacterial endocarditis, bacterial pneumonia, bacterial urinary tract infection, bone infection, brucellosis, chlamydial infections, cholera, chronic bacterial prostatitis, chronic bronchitis with bacterial exacerbation, diabetic foot infection, diverticulitis of gastrointestinal tract, E. coli urinary tract infection, Enterobacter cloacae urinary tract infection, gastroenteritis due to Shigella, granuloma inguinale, Haemophilus influenzae acute otitis media, Haemophilus influenzae chronic bronchitis, isosporiasis, Klebsiella urinary tract infection, Listeria meningitis, lymphogranuloma venereum, meningococcal carrier, Morganella morgani urinary tract infection, nocardiosis, paracoccidioidomycosis, paratyphoid fever, pertussis, Pneumocystis jiroveci pneumonia prevention, Pneumocystis jirovecii pneumonia, postexposure plague prophylaxis, prevention of bacterial urinary tract infection, Proteus urinary tract infection, Q fever, sinusitis, skin and skin structure infection, Streptococcus acute otitis media, Streptococcus pneumoniae chronic bronchitis, toxoplasmosis prevention, typhoid fever, Whipples disease | | | | | |
| Side Effects: acidosis, acute abdominal pain, acute confusion, acute generalized exanthematous pustulosis, agranulocytosis, alopecia, alveolitis, anaphylaxis, angioedema, anorexia, anuria, aplastic anemia, arthralgia, ataxia, Behcet syndrome, black tarry stools, cauda equina syndrome, chills, Clostridioides difficile infection, cough, crystalluria, cyanosis, depression, diarrhea, dizziness, DRESS syndrome, drowsy, drug fever, drug-induced psychosis, dyspnea, enterocolitis, eosinophilia, eosinophilic pneumonia, erythema multiforme, erythema nodosum, exfoliative dermatitis, fatigue, flatulence, gastroenteritis, gastrointestinal hemorrhage, general weakness, glossitis, glucose-6-phosphate dehydrogenase deficiency anemia, goiter, granulocytopenic disorder, Guillain-Barre syndrome, hallucinations, headache disorder, hearing loss, hematuria, hemolytic anemia, hemolytic uremic syndrome, hepatic necrosis, hepatitis, hepatocellular damage, hyperkalemia, hypofibrinogenemia, hypoglycemic disorder, hyponatremia, hypoprothrombinemia, hypothyroidism, indifference, insomnia, interstitial nephritis, intracranial hypertension, lethargy, leukopenia, lupus-like syndrome, megaloblastic anemia, methemoglobinemia, myelodysplastic syndrome, myocarditis, nausea, nervousness, neutropenic disorder, non-infective meningitis, obstructive hyperbilirubinemia, oliguria, pancreatitis, paresthesia, pericarditis, periorbital edema, peripheral neuropathy, pleuritis, polyarteritis nodosa, proteinuria, pruritus of skin, pulmonary infiltrates, purpura, renal tubular necrosis, seizure disorder, serum sickness, skin photosensitivity, skin rash, Stevens-Johnson syndrome, stomatitis, Sweets syndrome, symptoms of anxiety, thrombocytopenic disorder, thrombotic thrombocytopenic purpura, tinnitus, toxic epidermal necrolysis, urolithiasis, urticaria, vasculitis, vertigo, vomiting | | | | | |
| TRAMADOL HCL 50 MG TABLET | 65162062710 | TABLET | 50 MG | ORAL | OPIOID ANALGESICS |
| Drug Add Date: 07/03/2007 DailyMME Factor: 0.1 | | | | | |
| Generic Name: tramadol HCl Suggested Wholesale Price: \$0.83400 | | | | | |
| Disease Descriptions: fibromyalgia, neuropathic pain, pain | | | | | |
| Side Effects: abnormal ECG, accidental injury, acute abdominal pain, acute confusion, adrenal cortical insufficiency, agitation, anaphylaxis, androgen deficiency, anemia, angioedema, anorexia, arthralgia, blurred vision, bronchospastic pulmonary disease, bruising, cataracts, chills, constipation, cramps in legs, delirium, depersonalization, depression, diarrhea, dizziness, dream disorder, drowsy, drug dependence, dysgeusia, dyspepsia, dyspnea, dysuria, ecchymosis, erectile dysfunction, euphoria, fever, flatulence, flu-like symptoms, flushing, gastroenteritis, general weakness, hallucinations, headache disorder, hearing loss, hematuria, hepatic failure, hepatitis, hyperglycemia, hyperhidrosis, hyperkinesia, hypertension, hypertonia, hypoglycemic disorder, hypotension, increased urinary frequency, indifference, infertility, insomnia, libido changes, menstrual disorder, miosis, mood changes, muscle fasciculation, myalgia, myocardial ischemia, nausea, neck stiffness, nervousness, night sweats, orthostatic hypotension, palpitations, paresthesia, peripheral edema, peripheral ischemia, pharyngitis, prolonged QT interval, pruritus of skin, pulmonary edema, pulmonary thromboembolism, respiratory depression, seizure disorder, serotonin syndrome, sinusitis, skin rash, sleep disorder, Stevens-Johnson syndrome, stomatitis, suicidal, symptoms of anxiety, syncope, tachycardia, tinnitus, toxic epidermal necrolysis, tremor, urinary retention, urinary tract infection, urticaria, vasodilation of blood vessels, vertigo, visual changes, vomiting, weight loss, xerostomia, yawning | | | | | |
| TRAMADOL HCL 50 MG TABLET | 57664037708 | TABLET | 50 MG | ORAL | OPIOID ANALGESICS |
| Drug Add Date: 06/21/2002 DailyMME Factor: 0.1 | | | | | |
| Generic Name: tramadol HCl Suggested Wholesale Price: Not Provided | | | | | |

| Drug Label | Drug Code | Dosage Form | Strength | Route | HIC Therapeutic Class |
|--|--|---------------------------------|-----------------------------------|------------------|---|
| TRAMADOL HCL 50 MG TABLET | Disease Descriptions: fibromyalgia, neuropathic pain, pain Side Effects: abnormal ECG, accidental injury, acute abdominal pain, acute confusion, adrenal cortical insufficiency, agitation, anaphylaxis, androgen deficiency, anemia, angioedema, anorexia, arthralgia, blurred vision, bronchospastic pulmonary disease, bruising, cataracts, chills, constipation, cramps in legs, delirium, depersonalization, depression, diarrhea, dizziness, dream disorder, drowsy, drug dependence, dysgeusia, dyspepsia, dyspnea, dysuria, ecchymosis, erectile dysfunction, euphoria, fever, flatulence, flu-like symptoms, flushing, gastroenteritis, general weakness, hallucinations, headache disorder, hearing loss, hematuria, hepatic failure, hepatitis, hyperglycemia, hyperhidrosis, hyperkinesia, hypertension, hypertonia, hypoglycemic disorder, hypotension, increased urinary frequency, indifference, infertility, insomnia, libido changes, menstrual disorder, miosis, mood changes, muscle fasciculation, myalgia, myocardial ischemia, nausea, neck stiffness, nervousness, night sweats, orthostatic hypotension, palpitations, paresthesia, peripheral edema, peripheral ischemia, pharyngitis, prolonged QT interval, pruritus of skin, pulmonary edema, pulmonary thromboembolism, respiratory depression, seizure disorder, serotonin syndrome, sinusitis, skin rash, sleep disorder, Stevens-Johnson syndrome, stomatitis, suicidal, symptoms of anxiety, syncope, tachycardia, tinnitus, toxic epidermal necrolysis, tremor, urinary retention, urinary tract infection, urticaria, vasodilation of blood vessels, vertigo, visual changes, vomiting, weight loss, xerostomia, yawning | | | | |
| VENTOLIN HFA 90 MCG INHALER | 00173068220 | HFA AEROSOL WITH ADAPTER (GRAM) | 90 MCG | INHALATION | BETA-ADRENERGIC AGENTS, INHALED, SHORT ACTING |
| | Drug Add Date: | 06/16/2006 | | | |
| | Generic Name: | albuterol sulfate | Suggested Wholesale Price: | Not Provided | |
| | Disease Descriptions: acute asthma attack, bronchospasm prevention, bronchospastic pulmonary disease, chronic obstructive pulmonary disease, exercise-induced bronchospasm prevention Side Effects: abnormal ECG, anaphylaxis, angina, angioedema, ataxia, back pain, bronchial irritation, chest pain, chills, cough, cramps in legs, depression, diabetes mellitus, dizziness, drowsy, dry throat, dysgeusia, edema, eructation, fever, flatulence, headache disorder, hyperglycemia, hyperhidrosis, hyperkinesia, hypertension, hypokalemia, hypotension, insomnia, metabolic acidosis, migraine, mouth irritation, myocardial ischemia, nausea, nervousness, pain, pain in oropharynx, palpitations, paradoxical bronchospasm, pharyngeal edema, pharyngitis, rhinitis, skin rash, sore throat, symptoms of anxiety, tachycardia, tinnitus, tremor, upper respiratory infection, urinary tract infection, urticaria, vertigo, viral gastroenteritis, voice change, vomiting, xerostomia | | | | |
| VIGAMOX 0.5% EYE DROPS | 00065401303 | DROPS | 0.5 % | OPHTHALMIC (EYE) | OPHTHALMIC ANTIBIOTICS |
| | Drug Add Date: | 04/23/2003 | | | |
| | Generic Name: | moxifloxacin HCl | Suggested Wholesale Price: | Not Provided | |
| | Disease Descriptions: bacterial conjunctivitis, bacterial corneal ulcer infection, bacterial keratitis Side Effects: acute bacterial otitis media, conjunctival hyperemia, conjunctivitis, cough, dry eye, eye tearing, fever, hypersensitivity drug reaction, infection, keratitis, ocular discomfort, ocular itching, ocular pain, pharyngitis, reduced visual acuity, rhinitis, skin rash, subconjunctival hemorrhage | | | | |

Drug Compliance Chart


Legend:



Compliant



Non-Compliant



Drug-To-Drug Interaction Detail

| Int. ID | Interaction Description | |
|---------|-----------------------------|--|
| 1 | Title | Selected Opioids/Selected CYP3A4 Inhibitors |
| | Severity Level | 2-Severe Interaction: Action is required to reduce the risk of severe adverse interaction. |
| | Mechanism of Action | CYP3A4 inhibitors may inhibit the metabolism of alfentanil,(1,2) benzhydrocodone,(3) fentanyl,(1,2) hydrocodone,(4) meperidine,(5) oxycodone,(6) and sufentanil.(7) Benzhydrocodone is a prodrug of hydrocodone.(3) |
| | Clinical Effects | The concurrent administration of a CYP3A4 inhibitor may result in elevated levels of and toxicity from alfentanil,(1,2) benzhydrocodone,(3) fentanyl,(1,2) hydrocodone,(4) meperidine,(5) oxycodone,(6) and sufentanil,(7) including profound sedation, respiratory depression, coma, and/or death. |
| | Predisposing Factors | Heat. |
| | Patient Management | Monitor patients receiving potent or moderate CYP3A4 inhibitors for an extended period of time. Dosage adjustments should be made if warranted. The manufacturer of itraconazole states that concomitant administration of fentanyl is not recommended during and 2 weeks after itraconazole treatment.(8) Avoid exposing the fentanyl patch application site and surrounding area to direct external heat sources as there have been reports of overdose and death as a result of exposure to heat. The manufacturer of sufentanil sublingual tablets states that if concomitant use with CYP3A4 inhibitors is necessary, consider use of an alternate agent that allows dose adjustment.(7) Discuss naloxone with all patients when prescribing or renewing an opioid analgesic or medicine to treat opioid use disorder (OUD). Consider prescribing naloxone to patients prescribed medicines to treat OUD or opioid analgesics (such as those taking CNS depressants) who are at increased risk of opioid overdose and when a patient has household members/close contacts at risk for accidental overdose.(9) |
| 2 | Title | Opioids (Cough and Cold)/Antipsychotics; Phenothiazines |
| | Severity Level | 2-Severe Interaction: Action is required to reduce the risk of severe adverse interaction. |
| | Mechanism of Action | Concurrent use of opioids and antipsychotics, including phenothiazine derivatives, may result in additive CNS depression.(1) |
| | Clinical Effects | Concurrent use of opioids and other CNS depressants, such as antipsychotics, including phenothiazine derivatives, may result in profound sedation, respiratory depression, coma, and/or death.(1) |
| | Predisposing Factors | Concurrent use of alcohol or other CNS depressants may increase the risk of adverse effects. |
| | Patient Management | Avoid prescribing opioid-including cough medications for patients taking CNS depressants such as antipsychotics, including phenothiazine derivatives.(1) If concurrent use is necessary, monitor patients for unusual dizziness or lightheadedness, extreme sleepiness, slowed or difficult breathing, or unresponsiveness.(1) Discuss naloxone with all patients when prescribing or renewing an opioid analgesic or medicine to treat opioid use disorder (OUD). Consider prescribing naloxone to patients prescribed medicines to treat OUD or opioid analgesics (such as those taking CNS depressants) who are at increased risk of opioid overdose and when a patient has household members/close contacts at risk for accidental overdose.(2) |

Customer Service Information
